

POLLING PLACE AUDIT

POLLING PLACE: FOULA TERRACE SHELTERED LOUNGE, FOULA TERRACE

REFERENCE NO 28

1. ACCESS AUDIT

(a) Car Parking

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? (Gradient 1:) | NO |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|-----|
| 1. | How far is the polling station from the entrance? | 10m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IS IN THE MAIN LOUNGE. CAR PARK TO REAR OF PREMISES. 75M TO MAIN ENTRANCE.

POLLING PLACE AUDIT**POLLING PLACE: FINTRY PRIMARY SCHOOL, FINAVON TERRACE, DUNDEE****REFERENCE NO 28****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | N/A |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-------|
| 1. | Is the access on the flat? | NO |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | YES 2 |
| 3. | If there are any steps, is there a handrail? | NO |
| 4. | Is there a ramp? (Gradient 1: 35) | YES |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|-----|
| 1. | How far is the polling station from the entrance? | 5 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IS IN THE HALL. THERE ARE 2 ENTRANCES TO THE BUILDING. FINDCASTLE STREET WHICH IS THE ENTRANCE TO THE TEACHERS CAR PARK AND HAS A PERMANENT RAMP AND SUFFICIENT PARKING. ALTERNATIVE ENTRANCE IS ON FINAVON TERRACE. ACCESS FROM THERE IS ON FOOT AND IS APPROXIMATELY 150 M TO THE MAIN DOOR WHICH HAS 2 STEPS.

POLLING PLACE AUDIT**POLLING PLACE: ABERTAY HOUSING, 1 THE SQUARE, ORMISTON CRESCENT****REFERENCE NO 29****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? (Gradient 1:) | NO |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|------|
| 1. | How far is the polling station from the entrance? | 15 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IN MAIN LOUNGE.

POLLING PLACE AUDIT**POLLING PLACE: WHITFIELD COMMUNITY CENTRE, 106 WHITFIELD DRIVE****REFERENCE NO 97****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? (Gradient 1:) | NO |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |
- (c) Internal**
- | | | |
|----|---------------------------------------------------------------|------|
| 1. | How far is the polling station from the entrance? | 10 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IN BERWICK HALL. AMPLE PARKING FOR ALL ADJACENT TO BUILDING. MAIN DOOR OPENS AUTOMATICALLY. 2 SPACES RESERVED FOR WHEELCHAIR USERS/DISABLED.

POLLING PLACE AUDIT**POLLING PLACE: NEWFIELDS PRIMARY, MAYBOLE PLACE****REFERENCE NO 30****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? (Gradient 1: 13) | YES |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|-----|
| 1. | How far is the polling station from the entrance? | 5 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IS IN THE GYM HALL. PERMANENT RAMPED ACCESS FROM PARKING AREA IN PLAYGROUND TO MAIN DOOR.

POLLING PLACE AUDIT**POLLING PLACE: ABERTAY HOUSING, 20 GRAMPIAN GARDENS****REFERENCE NO 103****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? (Gradient 1:) | NO |
| 5. | Are the doors easy to open? | NO |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|-----|
| 1. | How far is the polling station from the entrance? | 5 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IN GROUND FLOOR LEFT FLAT. OUTER DOORS ARE WEDGED OPEN.

POLLING PLACE AUDIT**POLLING PLACE: LONGHAUGH PRIMARY SCHOOL, LONGHAUGH ROAD****REFERENCE NO 26****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-------|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | NO |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES 2 |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-------|
| 1. | Is the access on the flat? | NO |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | YES 3 |
| 3. | If there are any steps, is there a handrail? | YES |
| 4. | Is there a ramp? (Gradient 1:) | NO |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |

(c) Internal

- | | | |
|----|---------------------------------------------------------------|------|
| 1. | How far is the polling station from the entrance? | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IS IN THE GYM HALL. A TEMPORARY RAMP IS PROVIDED AT THE ACCESS USED WHICH IS OFF THE PLAYGROUND ON LONGHAUGH ROAD SIDE OF BUILDING (THIS IS NOT THE USUAL MAIN ENTRANCE TO BUILDING AS ACCESS IS FROM FINTRY TERRACE).

POLLING PLACE AUDIT**POLLING PLACE: MILL O' MAINS PRIMARY, BARNS OF CLAVERHOUSE ROAD****REFERENCE NO 79****1. ACCESS AUDIT****(a) Car Parking**

- | | | |
|----|--------------------------------------------------------------------------------------|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)? | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door? | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)? | YES |

(b) Access to Premises

- | | | |
|----|--------------------------------------------------------------|-----|
| 1. | Is the access on the flat? | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO |
| 3. | If there are any steps, is there a handrail? | N/A |
| 4. | Is there a ramp? | NO |
| 5. | Are the doors easy to open? | YES |
| 6. | Are the doors at least 800 mm wide? | YES |
- (c) Internal**
- | | | |
|----|---------------------------------------------------------------|------|
| 1. | How far is the polling station from the entrance? | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station? | NO |
| 4. | Is there a chair (with arms) available? | YES |
| 5. | Are floor surfaces non-slip? | YES |
| 6. | Is lighting sufficient (non-glare)? | YES |

2. COMMENTS BY RETURNING OFFICER

VOTING IS IN ROOMS 2 AND 3. DEDICATED DISABLED PARKING SPACE IN TEACHERS CAR PARK. AMPLE PARKING IN PLAYGROUND ADJACENT TO MAIN ENTRANCE.

1 SMALL BAR AT DOOR