

## POLLING PLACE AUDIT

**POLLING PLACE: GOWRIEHILL PRIMARY, ETIVE GARDENS**

**REFERENCE NO 63**

### **1. ACCESS AUDIT**

#### **(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | NO  |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | YES |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | NO  |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

#### **(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | NO  |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: 19)                            | YES |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

#### **(c) Internal**

- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

### **2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN 3 ROOMS OFF MAIN ENTRANCE. INTERNAL DOORS TO BE WEDGED. PERMANENT RAMPED ACCESS LIMITED ON STREET PARKING. BUT PARKING AVAILABLE IN PLAYGROUND ON DEE GARDENS. ONE DISABLED SPACE RESERVED.

**POLLING PLACE AUDIT****POLLING PLACE: CLYDE PLACE SHELTERED LOUNGE, 52 TUMMEL PLACE****REFERENCE NO 62****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: )                              | NO  |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |     |
|----|---|-----|
| 1. | How far is the polling station from the entrance?             | 5 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station?             | NO  |
| 4. | Is there a chair (with arms) available?                       | YES |
| 5. | Are floor surfaces non-slip?                                  | YES |
| 6. | Is lighting sufficient (non-glare)?                           | YES |

**2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN THE MAIN HALL. PARKING IS AVAILABLE IN CLYDE PLACE. ALTERNATIVE IN TUMMEL PLACE. PERMANENT RAMP DOWN SLOPE FROM CLYDE PLACE (1:18) HANDRAILS ARE PROVIDED.

**POLLING PLACE AUDIT****POLLING PLACE: CHARLESTON COMMUNITY CENTRE, CRAIGOWAN ROAD****REFERENCE NO 1413****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | YES |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | YES |
| 4. | Is there a ramp? (Gradient 1: 2)                             | YES |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 10 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

**2. COMMENTS BY RETURNING OFFICER**

JANET'S HALL - THREE POLLING STATIONS  
 ALSO STAFFROOM AVAILABLE - TWO POLLING STATIONS

**POLLING PLACE AUDIT****POLLING PLACE: HILLSIDE PRIMARY, DALRYMPLE STREET****REFERENCE NO 64****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | NO  |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | YES |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | NO  |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | NO  |

**(b) Access to Premises**

- |    |  |       |
|----|--|-------|
| 1. | Is the access on the flat?                                   | NO    |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | YES 1 |
| 3. | If there are any steps, is there a handrail?                 | NO    |
| 4. | Is there a ramp? (Gradient 1: )                              | NO    |
| 5. | Are the doors easy to open?                                  | YES   |
| 6. | Are the doors at least 800 mm wide?                          | YES   |

**(c) Internal**

- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

**2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN THE ASSEMBLY HALL. LIMITED PARKING IN SURROUNDING STREETS.

**POLLING PLACE AUDIT****POLLING PLACE: ST NINIAN'S PRIMARY, DOCHART TERRACE****REFERENCE NO 65****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: 15)                            | YES |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

**2. COMMENTS BY RETURNING OFFICER**

VOTING TAKES PLACE IN THE HALL. AMPLE PARKING IN PLAYGROUND.  
 1 DISABLED PARKING SPACE AT MAIN ENTRANCE. PERMANENT  
 RAMPED ACCESS TO MAIN DOOR.

**POLLING PLACE AUDIT****POLLING PLACE: DRYBURGH RESOURCE CENTRE, NAPIER DRIVE****REFERENCE NO 84****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | N/A |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | NO  |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: 18)                            | YES |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |
- (c) Internal**
- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 40 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

**2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN THE HALL. AMPLE PARKING IN CAR PARK.

**POLLING PLACE AUDIT****POLLING PLACE: KIRK STREET SHELTERED, ADAMSON COURT****REFERENCE NO 54****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: )                              | NO  |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |      |
|----|---|------|
| 1. | How far is the polling station from the entrance?             | 20 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES  |
| 3. | Are there any internal stairs to polling station?             | NO   |
| 4. | Is there a chair (with arms) available?                       | YES  |
| 5. | Are floor surfaces non-slip?                                  | YES  |
| 6. | Is lighting sufficient (non-glare)?                           | YES  |

**2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN THE MAIN LOUNGE. CONTROLLED ENTRY HAS BEEN INSTALLED RECENTLY. ADDITIONAL CLERK NEEDED TO ALLOW ACCESS.

**POLLING PLACE AUDIT****POLLING PLACE: MARGARET BLACKWOOD COMMUNAL LOUNGE, GLAMIS ROAD****REFERENCE NO 85****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: )                              | NO  |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |     |
|----|---|-----|
| 1. | How far is the polling station from the entrance?             | 15m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station?             | NO  |
| 4. | Is there a chair (with arms) available?                       | YES |
| 5. | Are floor surfaces non-slip?                                  | YES |
| 6. | Is lighting sufficient (non-glare)?                           | YES |

**2. COMMENTS BY RETURNING OFFICER**

EXTERNAL DOORS AUTOMATIC OPENING. VOTING IS IN THE LOUNGE. ACCESS COMPLETELY ON THE FLAT. 67-137 IS BEING DEMOLISHED TOGETHER WITH THE LOUNGE. 55-65 AND 139-193 REMAINING. ALTERNATIVE STATION WILL BE HILLSIDE PRIMARY ON DALRYMPLE STREET.

**POLLING PLACE AUDIT****POLLING PLACE: WEST DISTRICT HOUSING OFFICES**

<b>REFERENCE NO</b>	<b>1414</b>
---------------------	-------------

**1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | YES |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat? Ramped                            | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1:8)                              | YES |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |     |
|----|---|-----|
| 1. | How far is the polling station from the entrance?             | 5m  |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station?             | YES |
| 4. | Is there a chair (with arms) available?                       | YES |
| 5. | Are floor surfaces non-slip?                                  | YES |
| 6. | Is lighting sufficient (non-glare)?                           | YES |

**2. COMMENTS BY RETURNING OFFICER**

PERMANENT RAMPED ACCESS TO THE BUILDING. AMPLE CAR PARKING NEARBY

**POLLING PLACE AUDIT****POLLING PLACE: BURNSIDE COURT, WHORTERBANK****REFERENCE NO 53****1. ACCESS AUDIT****(a) Car Parking**

- |    |  |     |
|----|--|-----|
| 1. | Is parking available nearby and with ample room to open car door (i.e. 3.4m)?        | YES |
| 2. | Alternatively, is there a dropping off zone again with ample room to open door?      | N/A |
| 3. | Is there a dropped kerb to allow access to main door from parking/dropping off area? | YES |
| 4. | Are the road/pavement surfaces level and of good quality (e.g. no potholed)?         | YES |

**(b) Access to Premises**

- |    |  |     |
|----|--|-----|
| 1. | Is the access on the flat?                                   | YES |
| 2. | <u>Are there any steps to main door (if yes - how many)?</u> | NO  |
| 3. | If there are any steps, is there a handrail?                 | N/A |
| 4. | Is there a ramp? (Gradient 1: )                              | NO  |
| 5. | Are the doors easy to open?                                  | YES |
| 6. | Are the doors at least 800 mm wide?                          | YES |

**(c) Internal**

- |    |   |     |
|----|---|-----|
| 1. | How far is the polling station from the entrance?             | 5 m |
| 2. | If there are corridors/lobbies, are they at least 800mm wide? | YES |
| 3. | Are there any internal stairs to polling station?             | NO  |
| 4. | Is there a chair (with arms) available?                       | YES |
| 5. | Are floor surfaces non-slip?                                  | YES |
| 6. | Is lighting sufficient (non-glare)?                           | YES |

**2. COMMENTS BY RETURNING OFFICER**

VOTING IS IN THE DAY ROOM. DOES NEED TO BE WEDGED OPEN TO ALLOW WHEELCHAIR ACCESS.